## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1032	455/403.ccls. and (@ad<"20050901" @rlad<"20050901")	US-PGPUB; USPAT	OR	ON	2008/07/17 15:05
L3	1750	455/561.ccls. and (@ad<"20050901" @rlad<"20050901")	US-PGPUB; USPAT	OR	ON	2008/07/17 15:06
L4	3	2 and (total with transmission with power) and first and second and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:06
L5	17	3 and (total with transmission with power) and first and second and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:06
L6	2	3 and ((total with transmission with power) same first same second same threshold\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:07
L7	3	2 and (total with transmission with power) and first and second and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:07
L8	761	370/320.ccls. and (@ad<"20050901" @rlad<"20050901")	US-PGPUB; USPAT	OR	ON	2008/07/17 15:17
L9	2	8 and ((total with transmission with power) same first same second same threshold\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:17
L10	12	8 and (total with transmission with power) and first and second and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/17 15:17

S3	127	("base station" or BS) same (reduc\$4 or decreas\$4 or lower\$4) same (upper or higher) same (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) same (priorit\$4 with level\$2) and (@ad<"20050901" @fdad<"20050901")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 09:08
S4	7	S3 and (total with transmission with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 09:08
S5	7	S4 and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 09:08
<b>S</b> 6	55	(base with station\$2) same (reduc\$4 or decreas\$4 or lower\$4) same (upper or higher) same (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) same (priorit\$4 with level\$2) and (@ad<"20050901" (@rtac\"20050901")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 09:25
S7	4	S6 and (total with transmission with power) and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 09:26
S8	4	S7 and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 10:04
S9	4	\$8 and (reduc\$4 or decreas \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 10:09
S10	559	((reduc\$4 or decreas\$4 or lower\$4) and (upper or higher) and (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) and (priorit\$4 with level\$2)).clm.	US-PGPUB; USPAT	OR	ON	2008/07/17 13:12

15	((radio with base with station	US-PGPUB;	OR	ON	2008/07/17
	\$2) and (reduc\$4 or decreas	USPAT			13:13
	\$4 or lower\$4) and (upper or				
	higher) and (threshold\$2 or				
	parameter\$2 or attribute\$2				
	or tag\$2 or value\$2) and				
	(priorit\$4 with level\$2)).clm.				
		\$2) and (reduc\$4 or decreas \$4 or lower\$4) and (upper or higher) and (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) and	\$2) and (reduc\$4 or decreas \$4 or lower\$4) and (upper or higher) and (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) and	\$2) and (reduc\$4 or decreas USPAT \$4 or lower\$4) and (upper or higher) and (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) and	\$2) and (reduc\$4 or decreas USPAT \$4 or lower\$4) and (upper or higher) and (threshold\$2 or parameter\$2 or attribute\$2 or tag\$2 or value\$2) and

## 7/17/08 3:24:32 PM

C:\ Documents and Settings\ HNguyen18\ My Documents\ EAST\ workspaces \ 10591503interfersearch.wsp